







APPROVAL PROCESS 2020-21

Application Deficiency Report

DEFICIENCY REPORT AS PER APPLIED INTAKE (Applicable for Existing Institutions only)

Regional Office	Western	Overall Deficiency of In	stitution:	No
Application ID	1-7001884667		Permanent ID	1-5285631
Name of the Institution	Sinhgad Institute O	f Technology	Address	Gat No.309/310, Off Mumbai-Pune Expressway, Kusgaon (Bk), Lonavala Tal - Maval, Dist - Pune
City/Village	Lonavala		District	Pune
State	Maharashtra		PIN	410401

Director/Principal Details

Designation	Name	Appointment Type	Qualification	PhD	Qualified as per AICTE Norms (YES/NO)
Director/Principal	Manik Gaikwad	Regular	ELECTRONICS, ELECTRONICS,	Yes	Yes

Other Details

Sr. No.	Particulars	Status Provided by the Institution	Deficiency
1,	List of Faculty Member and Data Uploaded on the Institution Web Portal	Yes	No
2.	Are all Approved Teaching Faculty Member being Paid as per Present Pay Scale/Commission?	Yes	No
3.	Whether Institution is Operating from Permanent Site?	Yes	No
4.	Fees to be Charged, Reservation Policy, Admission Policy and Document Retention Policy are Uploaded in Institution's Website?	Yes mile	No
5.	Courses/Approved Intake Displayed at the Entrance of the Institution?	Yes	No

Inti-Ragging Related Deficiency Status

Sr. No.	Particulars	Status Provided by the Institution	Deficiency
1,	Constitution of Anti-Ragging Committee	Yes	No
2.	Constitution of Anti-Ragging Squad	Yes	No
3.	Undertaking Obtained from all Students	Yes	No
4.	Appointment of Counselors	Yes	No
5.	Undertaking Obtained from Parents of all the Students	Yes	No
6.	Undertaking Obtained from Students Staying in Hostel	Yes	No
7.	Undertaking Obtained from Parents of Students Staying in Hostel	Yes	No

Ombudsman Related Deficiency Status

Sr. No.	ON .	Particulars	Status Provided by the Institution	Deficiency
1.	Grievance Committee		Yes	No

- Million St. Married St. Committee	and the second second		STREET, SQUARE, SQUARE
Institution	Lovell	Common History	B.R. or work by on on
Insulation	Leveli	acuity	member

DILM E CHIKWED ..

Required No. as per ATTESTED Sr. No. Particulars Actual No.

Date of Signature(dd/mm/yyyy

Printed By: ae2900105



Name & Signature of River to Principal PRINCIPAL

Sinhgad Institute Of Technology, 10/14vala



Application Status: Submitted
Application Sub-Status: Payment Received

Report Generated on :-05/03/2020

1.	Total Faculty(UG+PG+Diploma)	154	153	No.
Adminis	etentivo Aron			

Adminis	strative Area			
Sr. No.	Particulars	Actual Room Area (Sq.m.)	Expected Room Area (Sq.m.)	Deficiency
1,	Board Room	25	20	No
2.	Department Offices/Cabin for Head of Dept	221	100	No
3.	Central Store	30	30	No
4.	Exam Control Office	34	30	No
5.	Housekeeping	10	10	No
6.	Maintenance	12	10	No
7,	Office All Inclusive	160	150	No
8.	Placement Office	35	30	No
9.	Principal Directors Office	35	30	No
10.	Security	10	10	No
TOTAL	STERV)	572.00	420.00	

Ameniti	es Area			
Sr. No.	Particulars	Actual Room Area (Sq. m.)	Expected Room Area (Sq. m.)	Deficiency
1,	Boys Common Room	75	75	No
2.	Cafeteria	150	150	No
3.	First aid cum Sick Room	12	ram numer ill 10 i ene remess en	No
4.	Girls Common Room	75	75	No
5,	Stationery Store	10	10	No
TOTAL		322.00	320.00	re minimized at

Comput	ational Facilities		rates and vental policy to a surjoint	The state of the s
Sr. No.	Particulars	Available	Required	Deficiency
1	Internet Bandwidth	64	64	No
2.	Printers	27	26 page 15 1 1 1	No
3.	A1 size Color Printers	0	0	No
4.	Number of PCs in Language lab	20	Author 20 man flores to be	No I
5.	Legal Application S/W	21	20	No
6.	Legal System S/W	3	3	No
7.	PCs to Student ratio	535	509	No

Library Facilities					
Sr. No.	Particulars	Available	Required	Deficiency	
1,	Volumes	26855	24700	No	
2.	Titles	5835	4300	No	
3.	Journals	48	48	No	
4.	Library Management Software	1	1 hettin	No	
5.	Reading Room Seating Capacity	250	150	No	

Date of Signature(dd/mm/yyyy

Printed By: ae2900105

Sintigad Insulum Of Technology, Consvala

PRINCIPAL
Sinhgad Institute Of Technology Principals



Application Status: Submitted
Application Sub-Status: Payment Received

6.	MultiMediaPC	10	10	No
	Al Jay		2011 2011 1010 1011	ne Inpulle
Instruct	tional Area-Common Facilities			
Sr. No.	Particulars	Available	Required	Deficiency
1	Computer Center	300	300	No
2.	Library & Reading Room	700	615	No
3.	Language Laboratory	66	66	No
TOTAL	M. Total	1066.00	981.00	The self of the

Land Area Details						
Sr. No.	Particulars	Available	Required	Deficiency		
1.	Total Area of Land	25	7.5	No		
2.	Maximum number of Pieces	1	2	No		

Sr. No.	Particulars	Level	Actual Room Area (Sqm)	Expected Room Area (Sqm)	Deficiency
1,	Classroom	UG	2644	2508	No
2.	Tutorial Room	UG	344	330	No
3.	Seminar Hall	UG/PG	140	132	No
4.	Additional Workshop	UG/PG	265	200	No
5.	Drawing Hall	UG/PG	282	264	No
6.	Workshop	UG/PG	400	400	No
7,477	Laboratory	UG	4110	3960	No
8.	Classroom	PG	66	66	No
9.	Laboratory	PG	138	132	No
TOTAL			8389.00	7992.00	

ir. No.	Particulars	Availability	Deficiency
1.	All Weather Approach(Motorised Road)	Yes	No
2.	Safety Provisions	Yes	No
3.	Sewage Disposal System	Yes	No
4.	Telephone	Yes	No
5.	Vehicle Parking	Yes	No
6.	First Aid	Yes	No
7.	Appointment: Student Counselor	Yes	No
8.	Establishment: Anti-Ragging Committee	Yes	No
9.	Establishment: Committee for SC/ST	Yes	No
10.	Establishment: Internal Complaint Committee(ICC)	Yes	No
112	Estb: Grievance Redressal Committee/OMBUDSMAN	Yes	No
12.	Barrier free Environment	Yes	No
13.	AICTE Approval Letters- EoA/LoA	Yes ATT	ESTED

Date of Signature(dd/mm/yyyy)

Printed By: ae2900105



PRINCIPAL

Sinhgad Institute Of Technology generala





Application Status: Submitted
Application Sub-Status: Payment Received

Report Generated on :-05/03/2020

14.	Institution-Industry Cell		100	Yes	Ed. Fifth No. 1.0
15.	Digital Payment-Financial Trans	sactions		Yes	No
16.	Food Safety and Standards			Yes	instructional Area
1 7 (2)116	Insurance for Students		and the state of the	Yes	No .071 .18.
18.	Applied membership-National I	Digital Library	86	Yes	No
19.	Online Grievance Rederssal Mechanism		1000	Yes 77 (67)	No
20.	Internal Quality Assurance Cell		W	Yes	No
21,	Fire and Safety Certificate	GI .	(15 oct)	Yes	No JATON
22.	Atleast 5 MoUs with industries		Yes	No	
23.	Display of info submitted to AICTE on website		Yes	No	
24.	General Insurance		THE PARTY OF THE P	Yes	No
25.	Backup Electric Supply			Yes	No
26.	Group accident policy for employees			Yes	No
27.	Rain Water Harvesting		Yes	No	
28.	Implementation of student Induction Programme		Yes	No	
29.	Waste Management and a sustainable Green Campus		Yes	No	
30.	Institution Web Site		E1	Yes	364 4. L.No
31.	Medical & Counseling	152	1917	Yes	No
32.	Notice Boards	(Sep		Yes	No
33.	Potable Water Supply	242	TIN TRANSPERS	Yes Rail V	tuncatbo/ No

ATTESTED

Date of Signature (dg/mm/Ww).C.

LON AVARA CHANGE A 10 401 CONTROL OF THE POST INSTITUTE OF THE POS

Dr. M. S. GAIKWAD
PRINCIPAL
Sinhgad Institute Of Streetwork Consula



Application Status:

Submitted

Application Sub-Status: Payment Received

Report Generated on :-05/03/2020

DECLARATION

BY THE PRINCIPAL/DIRECTOR/REGISTRAR OF THE INSTITUTION DEPARTMENT

I, as the Head of the Institution, hereby declare that:

- a) I have carefully gone through the AICTE Regulations 2020, published in the Gazette of India Extraordinary Part III, Section- 4 dated 04th February, 2020, also all provisions mentioned in the Approval Process Hand Book 2020-21.
- b) I am fully aware of the data uploaded by me in respect of my institution on the web portal.
- c) I am aware that there is no provision for correction of data, alteration of data, subsequent editing and appeal etc. for the online application once uploaded on the web portal.
- d) I am also aware that application for seeking Extension of Approval(EOA), Increase/Reduction of Intake, Addition of new courses, Change of site, Closure of course, Supernumerary Seats under PIO/FN/Gulf quota Approval status/OCI, NRI, Change of name, and Conversion of women institution into Co-ed Institution and vice versa (as applicable), shall be processed as per relevant provisions enumerated in the Approval Process Hand Book 2020-21.
- e) I am aware of the Deficiencies (if any) pointed out in the Report generated online, based on the factual data uploaded by my Institution on the portal.
- f) I am also aware that Institution is eligible for grant of Extension of Approval to the Existing Institutions, Extended EoA(if Applicable as per APH 2020-21), only on fulfillment of prescribed norms & requirements as mentioned in the Approval Process Hand Book 2020-21.

Signature of Director/Registrar/ Principal

Name:

Seal/Stamp of the University /Institution Department

LON WALA CHANGE A 10 401 OF Seal of Institution

ATTESTED

Dr. M. S. GAIKWAD
PRINCIPAL
Sinhgad Institute Of Technology Longwale at

Date of Signature(dd/mm/yyyy

Printed By : ae2900105

Page 5 of 5



Description of the second

the life Midward and Particular Set No. 2004 (Application Charles of Committee Co.) And Co.

And and select release a state of the desired and

A I have seen in the second of the second of

construction and the first because the same from the first of the section of the

- The company of the Control of the Co

the state of the s

1



ATTESTED

Or M S GARWAD
PRINCIPAL
Sinhgad Institute Of Technology, Lonavala
