

# All India Council for Technical Education

(An Autonomous Organization, Under Ministry of HRD, Govt. of India)



Nelson Mandela Marg, Vasant Kunj, New Delhi-110067 PHONE: 23724151/52/53/54/55/56/57 FAX: 011-23724183 <https://www.aicte-india.org>

## APPROVAL PROCESS 2018-19

### Application Deficiency Report

#### DEFICIENCY REPORT AS PER CURRENT INTAKE (Applicable for Existing Institutes only)

Application Id		Regional Office	Western
<b>Application Id</b>	<b>1-3508499151</b>	<b>Permanent Id</b>	<b>1-5285631</b>
<b>Name of the Institute</b>	SINHGAD INSTITUTE OF TECHNOLOGY	<b>Address</b>	GAT NO.309/310, OFF MUMBAI-PUNE EXPRESSWAY, KUSGAON (BK), LONAVALA, TAL - MAVAL, DIST - PUNE
<b>City/Village</b>	LONAVALA	<b>District</b>	PUNE
<b>State</b>	Maharashtra	<b>Pin</b>	410401

**Overall Deficiency of Institute:** No

Designation	Name	Appointment Type	Qualification	PhD
Principal/Director	MANIK GAIKWAD	Regular	ELECTRONICS, ELECTRONICS,	Yes

#### Other Details

Sr. No.	Details of Requirement	Status provided by the Institute	Deficiency
1	List of faculty and data uploaded on the Institute web portal	Yes	No
2	Are all approved teaching faculty being paid as per VI pay commission?	Yes	No
3	Whether Institute is operating from Permanent Site/ Temporary Site?	Permanent Site	No
4	Fees to be charged, Reservation policy, Admission policy and Document retention policy are uploaded in Institute's Website?	Yes	No
5	Courses/Approved Intake displayed at the entrance of the Institute?	Yes	No

#### Anti-Ragging Related Deficiency Status

Sr. No.	Details of Requirement	Status provided by the Institute	Deficiency
1	Constitution of Anti-Ragging Committee	Yes	No
2	Constitution of Anti-Ragging Squad	Yes	No
3	Undertaking obtained from all Students	Yes	No
4	Appointment of Counselors	Yes	No
5	Undertaking obtained from parents of all the students	Yes	No
6	Undertaking obtained from students staying in Hostel	Yes	No
7	Undertaking obtained from parents of students staying in Hostel	Yes	No

#### Ombudsman Related Deficiency Status

Sr. No.	Details of Requirement	Status provided by the Institute	Deficiency
1	Grievance Committee	Yes	No

#### Total Number of Students in Institute

(i)	No. of Students UG	3540
(ii)	No. of Students PG	180
(iii)	No. of Students DIPLOMA	0
Total Students (CI) (UG+PG+DIPLOMA)		3720

#### Faculty

##### Institute Level Faculty


Type	Actual No.	Required No. as per CI	Deficiency
Total Faculty(UG+PG+Diploma)	207	163	No

#### Administrative Area

Type	Actual Room Area (Sq.m.)	Expected Room Area (Sq.m.)	Deficiency
Principal / Director Office	35	30	No
Board Room	25	20	No
Office All Inclusive	160	150	No
Department Offices/Cabin for Head of Dept	221	100	No
Central Store	30	30	No
Maintenance	12	10	No
Security	10	10	No
Housekeeping	10	10	No
Pantry for Staff/Faculty	10	10	No
Exam Control Office	34	30	No
Training Placement Office	35	30	No

**ATTESTED**

#### Amenities Area



Dr. M. S. GAIKWAD  
PRINCIPAL  
Sinhgad Institute Of Technology, LonaVala

## Application Deficiency Report



Application Status: Submitted  
Application Sub-Status: Payment Received

Report Generated on :-06/02/2018

Type	Actual Room Area (Sq. m.)	Expected Room Area (Sq. m.)	Deficiency
Boys Common Room	75	75	No
Girls Common Room	75	75	No
Cafeteria	150	150	No
Stationery Store	10	10	No
First aid cum Sick Room	12	10	No

### Computational Facilities

Type	Available	Required	Deficiency
Internet Bandwidth	64	48	No
Printers	50	25	No
A1 size Color Printers	0	0	No
Legal Application S/W	25	20	No
Legal System S/W	3	3	No
PCs to Student ratio	693	485	No

### Library Facilities

Type	Available	Required	Deficiency
Volumes	19939	17900	No
Titles	4828	3100	No
National Journals	58	55	No
Library Management Software	1	1	No
Reading Room Capacity	500	150	No
MultiMediaPC	10	10	No

### Instructional Area-Common Facilities

Type	Available	Required	Deficiency
Computer Center	300	300	No
Library & Reading Room	700	660	No
Language Laboratory	66	66	No

### Land Area Details

Type	Available	Required	Deficiency
Total Area of Land	25	7.5	No
Maximum number of Pieces	1	1	No
Minimum per Piece of Area	25	7.5	No

### ENGINEERING AND TECHNOLOGY / Existing Programme

Type	Level	Actual Room Area (Sq.m.)	Expected Room Area (Sq.m.)	Deficiency
Class Room-Tutorial Room	UNDER GRADUATE	2537	2475	No
Additional Workshop/Labs	UG/PG	400	400	No
Class Rooms - PG	POST GRADUATE	206	132	No
Laboratories-All	UG/PG	4144	3024	No
Workshops - Basic	UG/PG	400	200	No
Drawing Halls	UG/PG	282	132	No
Seminar Hall	UG/PG	664	396	No

### Other Facilities

Sr. No.	Type	Availability	Deficiency
1	All Weather Approach (Motorised Road)	Yes	No
2	Barrier free Environment	Yes	No
3	Electric Supply	Yes	No
4	General Insurance	Yes	No
5	Institution Web Site	Yes	No
6	Standalone Language Laboratory	Yes	No
7	Medical & Counseling	Yes	No
8	Notice Boards	Yes	No
9	Potable Water Supply	Yes	No
10	Safety Provisions	Yes	No
11	Sewage Disposal System	Yes	No

Date of Signature(dd/mm/yyyy)

Printed By : ae2900105



Name & Signature of Director/Principal

Dr. M. S. GAIKWAD

PRINCIPAL Page 2 of 5

Sinhgad Institute Of Technology, Lonavala



## Application Deficiency Report



Application Status: Submitted  
Application Sub-Status: Payment Received

Report Generated on :-06/02/2018

12	Telephone & FAX	Yes	No
13	Vehicle Parking	Yes	No
14	First Aid	Yes	No
15	Appointment of Student Counsellor	Yes	No
16	Establishment of Anti Ragging committee	Yes	No
17	Establishment of committee for SC/ST	Yes	No
18	Establishment of Internal Complaint Committee (ICC) As per section 4 of Sexual Harassment of Women at Workplace (Prevention, Prohibition and Redressal) Act, 2013	Yes	No
19	Establishment of Grievance Redressal Committee in the Institute and Appointment of OMBUDSMAN by the University	Yes	No
20	Digital Payment for all Financial Transactions as per MHRD Directives	Yes	No
21	Compliance of the National Academic Depository (NAD) as per MHRD Directives	Yes	No
22	Display Board within the premises as well as in the Website of the Institution Indicating the Feedback Facility of Students and Faculty available in the AICTE Web Portal	Yes	No
23	Implementing Food Safety and Standard Act, 2006 in the Institution	Yes	No
24	Copies of AICTE Approvals (LOA and EOA of subsequent years) obtained since Inception of Institution till date shall be placed in the Website of the Institution	Yes	No
25	Provision to watch MOOCs Courses through Swayam	Yes	No
26	Implementation of Unnat Bharat Abhiyan	Yes	No
27	Institution-Industry Cell	Yes	No
28	Group Insurance for Employees	Yes	No
29	Insurance for Students	Yes	No
30	Applied membership-National Digital Library	Yes	No
31	Implementation of Security Measures	Yes	No
32	Online Grievance Redressal Mechanism	Yes	No

### DEFICIENCY REPORT AS PER INTAKE APPLIED FOR YEAR 2018-2019

Computational Facilities			
Type	Available	Required	Deficiency
Internet Bandwidth-Applied Intake	64	64	No
Printers-Applied Intake	50	24	No
A1 size Color Printers-Applied Intake	0	0	No
Legal Application S/W-Applied Intake	25	20	No
Legal System S/W-Applied Intake	3	3	No
PCs to Student ratio-Applied Intake	693	467	No

Library Facilities			
Type	Available	Required	Deficiency
Volumes	19939	17900	No
Titles	4828	3350	No
National Journals	58	55	No
Library Management Software	1	1	No
Reading Room Capacity	500	150	No
MultiMediaPC	10	10	No

ENGINEERING AND TECHNOLOGY / Existing Programme				
Type	Level	Actual Room Area (Sq.m.)	Expected Room Area (Sq.m.)	Deficiency
Class Room-Tutorial Room	UNDER GRADUATE	2537	2475	No
Additional Workshop/Labs	UG/PG	400	400	No
Class Rooms - PG	POST GRADUATE	206	165	No
Laboratories-All	UG/PG	4144	4080	No
Workshops - Basic	UG/PG	400	400	No
Drawing Halls	UG/PG	282	264	No
Seminar Hall	UG/PG	664	660	No

**ATTESTED**

Date of Signature(dd/mm/yyyy)  
6/2/2018

Printed By : ae2900105



Name & Signature of Director/Principal

**PRINCIPAL**

Sinhgad Institute Of Technology, Lonavala

## Application Deficiency Report

Application Status: Submitted  
Application Sub-Status: Payment Received

Report Generated on :-06/02/2018



### DECLARATION BY THE PRINCIPAL/DIRECTOR/REGISTRAR OF THE INSTITUTE/UNIVERSITY DEPARTMENT

I, as the Head of the Institution, hereby declare that:

a) I have carefully gone through the AICTE Regulations Notification dated on 30th November, 2016, published in the Gazette of India - Extraordinary Part III, Section- 4 and its amendment 05th December 2017 also the various provisions mentioned in the Approval Process Hand Book 2018-19.

b) I am fully aware of the data uploaded by me in respect of my institute on the web portal.

c) I am aware that there is no provision for correction of data, alteration of data, subsequent editing and appeal etc. for the online application once uploaded on the web portal.

d) I am also aware that application for seeking Extension of Approval(EOA), Increase/Reduction of Intake, Addition of new courses, Change of site, Closure of course, Supernumerary Seats under PIO/FN/Gulf quota Approval status/OCI, NRI, Change of name, and Conversion of women Institute into Co-ed Institute and vice versa (as applicable), shall be processed as per relevant provisions enumerated in the Approval Process Hand Book 2018-19.

e) I am aware of the Deficiencies (if any) pointed out in the Report generated online, based on the factual data uploaded by my institute on the portal.


f) I am also aware that Institute is eligible for grant of Extension of Approval to the Existing Institutions, Extended EoA(if Applicable as per APH 2018-19), Change in name of the Course(s)/ Reduction in Intake/ Closure of Programme(s) and/ or Course(s), only on fulfillment of prescribed norms & requirements as mentioned in the Approval Process Hand Book 2018-19.

Signature of Principal/Director/Registrar

Name :

Seal/Stamp of the Institute/University Department

ATTESTED



Seal of Institute

Date of Signature(dd/mm/yyyy)

Printed By : ae2900105

Dr. M. S. GAIKWAD  
PRINCIPAL

Sinhgad Institute of Technology, Lonavala